

hi PERMOST CS



GAT | Microencapsulation

PERMETHRIN (25.25 % W/W (250 G/L)) INSECTICIDE

INSECTICIDE FOR PROFESSIONAL USE IN PUBLIC HYGIENE,
FOOD STORAGE, PRACTICE AGRICULTURAL PREMISES AND STABLES.

PERMOST CS is a microencapsulated insecticide containing permethrin which is effective against various flying and crawling insects with a long residual activity up to 60 days.

PERMOST CS can be used as a barrier application in and around buildings, as surface spray, as space spray (ULV), and for cold or hot fogging.

USES AND APPLICATIONS

PERMOST CS is very effective against crawling insects such as ants, beetles, bed bugs, cockroaches, darkling beetles, earwigs, fleas (adults and larvae), hide beetle, silverfish, ticks and red mites. Flying insects such as flies, mosquitoes, cloth moths and warehouse food moths. Store house pests such as grain weevil, red grain beetle, saw-toothed beetle and flour beetle.

For application in and around domestic, commercial and industrial premises, in public offices municipal buildings, small rubbish tips/garden refuse, large rubbish tips/municipal tips, amenity areas such as public parks, hospitals (unoccupied wards), military barracks. Food handling areas such as restaurants, food retailers, food handling premises, raw material stores (excluding grain stores), empty grain silos and stores in stables, sheds, equestrian premises, farm buildings, empty dairies and poultry houses, on aircrafts, ships, buses, boats, trains and trucks.

DIRECTIONS FOR USE

For use as a fogger, surface spray or crack and crevice treatment.

IN DOMESTIC SITUATIONS, APPLY AS A CRACK AND CREVICE TREATMENT ONLY.

For surface spraying, apply through a suitable hand mechanical or electric sprayer producing a coarse spray. Spray all infested areas giving special attention to cracks, crevices, dead spaces, and harbourages. Product may be applied to hard porous, soft porous and non-porous surfaces.

For space spraying, apply through equipment capable of producing and distributing droplets of a diameter below 50 microns. This equipment may be thermal fogging equipment, cold aerosol generating ultra low volume (ULV) equipment, fan assisted rotary atomiser and hand-held or knapsack sprayers which are designed for space spraying. Spray into the air around the areas to be treated paying particular attention to sites where insects rest and breed or harbourages.

Close all doors and windows prior to use. Do not enter the treated area for at least 30 minutes after treatment or until spray has dried. Ventilate treated area properly. Retreat after 2 months or if necessary.

SURFACE SPRAYING – Heavy Infestation: Mix 50 ml of PERMOST CS with 5 litres of water and then apply at a rate of 5 litres over 100 m². Low Infestation: Mix 25 ml of PERMOST CS with 5 litres of water and then apply at a rate of 5 litres over 100 m².

SPACE TREATMENT – Hot fogging: Use 100 ml of PERMOST CS to treat 500 m³. Cold fogging: Mix 100 ml of PERMOST CS with 5 litres of water and use to treat 500 m³.

Where possible close windows and doors before application and keep closed for 1 hour. Ventilate treated area for at least 4 hours or use an air exhauster (1200 m³/h rate) to ventilate rooms. Repeat application if necessary.

NOTE TO PHYSICIAN – This product contains a pyrethroid insecticide. Treat symptomatically. For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre. Never give anything by mouth to an unconscious person. Do not induce vomiting.

500ml

WARNING



CONTAINS:

Permethrin (25:75) technical.

HAZARD STATEMENTS

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

PRECAUTIONARY STATEMENTS

P273 Avoid release to the environment.

P280 Wear protective gloves.

P391 Collect spillage.

P302+P352 IF ON SKIN: Wash with plenty of water.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with national regulations.

FOR USE ONLY AS AN INSECTICIDE.

USE ONLY IN ACCORDANCE WITH THE DIRECTIONS ON THE LABEL.

FOR USE ONLY BY PROFESSIONAL OPERATORS

Read all precautions before use.

HSE No. 9967

Users must comply in full with their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

USE PRECAUTIONS

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

Avoid excessive contamination of coveralls. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

This material and its container must be disposed of in a safe way.

Avoid contact with skin. Wear suitable gloves.

WASH HANDS AND EXPOSED SKIN before meals and after use.

KEEP IN A SAFE PLACE. Keep out of the reach of children. If swallowed, seek medical advice immediately and show this container or label.

Keep away from food, drink and animal feeding stuffs. Do not empty into drains.

Do not contaminate ground water, water bodies or watercourses with chemicals or used container. REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

COVER ALL WATER STORAGE TANKS before application. Protect milk machinery and milk containers from contamination.

COLLECT EGGS AND REMOVE FEED; EXPOSED WATER AND MILK BEFORE APPLICATION.

HAZARDOUS TO BEES. HAZARDOUS TO CATS.

USE INSECTICIDE SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

Shake well before use and protect from frost.



Marketing Company:
HOCKLEY INTERNATIONAL LTD
Hockley House, 3 Longstone Road, Ashbrook Office Park,
Manchester M22 5LB, United Kingdom.
Telephone: +44 (0)161 209 7400, Fax: +44 (0)161 209 7401

Batch No:
Manuf. Date:
Expiry Date: