

# hi PERMEX 22E®

INSECTICIDE FOR PROFESSIONAL USE AGAINST WINGED INSECTS, SUCH AS MOSQUITOES, FLIES, WASPS, CHIRONOMIDS, FLEAS, DERMESTIDAE, BLACK FLIES, MOTHS, LASIODERMAS AND CRAWLING INSECTS SUCH AS COCKROACHES, ANTS, SILVERFISH, AND FLOUR BEETLES

**FOR USE IN THE FOLLOWING AREAS:** IN DOMESTIC, COMMERCIAL AND INDUSTRIAL PREMISES (INCLUDING KITCHENS), HOSPITALS (EXCLUDING OCCUPIED WARDS), MILITARY ESTABLISHMENTS, FOOD STORAGE AND PREPARATION AREAS, IN AND AROUND FARM BUILDINGS, BULK MILK ROOMS, DAIRIES, MILKING PARLOURS, ANIMAL REARING FACILITIES, ANIMAL AND AVIAN HOUSING.

## COMPOSITION

### 100 g product content:

Permethrin cis/trans 25/75	11.37 g (117.1 g/l)
Tetramethrin	1.64 g (16.9 g/l)
Piperonyl butoxide	6.40 g (65.9 g/l)
Co-formulants	q.s. for 100 g

### STATUTORY CONDITIONS OF APPROVAL RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE

FOR USE ONLY BY PROFESSIONAL OPERATORS

Dilute 30-100ml of product with 10 litres of water. 1 litre of diluted product will treat an area of 10-15 square metres.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE

HSE No: 10338

500ml

## DANGER



### CONTAINS:

Calcium dodecylbenzene, sulfonate, linear; isobutyl alcohol; permethrin.

### HAZARD STATEMENTS

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

### PRECAUTIONARY STATEMENTS

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor.

P501 Dispose of contents/container to a hazardous or special waste collection point.

## DOSAGE AND USE

**PERMEX 22E®** must be mixed with water when used, at the ratio of 0,3-1% (30-100 ml for 10 L water) according to the pest extent. One litre of this solution is suitable for 10-15 sqm surface and can be used with any type of standard sprayer: manual pressure pumps, motorised atomizers.

To avoid risks to man and the environment, comply with the instructions for use.

\*The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

\*Avoid excessive contamination of coveralls.

\*DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

\*This material and its container must be disposed of in a safe way.

\*EXCLUDE ANIMALS DURING APPLICATION.

\*HAZARDOUS TO BEES.

\*DO NOT APPLY DIRECTLY TO TOBACCO.

\*EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

\*UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

\*Protect milk machinery and milk containers from contamination.

\*DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY

\*ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

\*COVER ALL WATER STORAGE TANKS before application.

\*WASH HANDS AND EXPOSED SKIN before meals and after use.

\*KEEP IN A SAFE PLACE.

\*ACTION SHOULD BE TAKEN TO PREVENT FORAGING BEES GAINING ACCESS TO TREATED NESTS, PREFERABLY BY REMOVING THE COMBS OR BLOCKING THE NEST ENTRANCE.

\*COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

\*NOT TO BE USED ON PET BEDDING, PET SLEEPING QUARTERS OR WHERE PETS FREQUENTLY LIE.

\*DO NOT APPLY TO CLOTHING OR HUMAN BEDDING.

\*DO NOT APPLY DIRECTLY TO ANIMALS.



Marketing Company:

**HOCKLEY INTERNATIONAL LTD**

Hockley House, 3 Longstone Road, Ashbrook Office Park, Manchester M22 5LB, United Kingdom.

Telephone: +44 (0)161 209 7400, Fax: +44 (0)161 209 7401

**Batch No:**

**Of:**

**Shelf Life: 48 Months**